

G

# INDEX MAPS.

## T. 20N, R. 5 W. 2<sup>nd</sup> Mer.

	253		253		253		253		253		253	
255	6	272	5	269	4	265	3	262	2	259	1	252
	<del>272</del>		<del>272</del>		<del>268</del>		<del>265</del>		<del>262</del>		<del>258</del>	
255	7	272	8	268	9	265	10	261	11	258	12	252
	<del>273</del>		<del>271</del>		<del>268</del>		<del>264</del>		<del>261</del>		<del>258</del>	
255	18	271	17	267	16	264	15	261	14	257	13	252
	<del>273</del>		<del>271</del>		<del>267</del>		<del>264</del>		<del>260</del>		<del>257</del>	
254	19	270	20	267	21	263	22	260	23	257	24	252
	<del>273</del>		<del>270</del>		<del>266</del>		<del>263</del>		<del>260</del>		<del>256</del>	
254	30	269	29	266	28	263	27	259	26	256	25	251
	<del>273</del>		<del>269</del>		<del>266</del>		<del>262</del>		<del>259</del>		<del>256</del>	
254	31	269	32	265	33	262	34	259	35	256	36	251
	250		250		250		249		249		249	

## T. 21N, R. 5 W. 2<sup>nd</sup> Mer.

	280		280		280		280		279		279	
281	6	296	5	292	4	290	3	287	2	284	1	278
	<del>296</del>		<del>296</del>		<del>292</del>		<del>289</del>		<del>286</del>		<del>284</del>	
281	7	296	8	292	9	289	10	286	11	283	12	278
	<del>296</del>		<del>295</del>		<del>292</del>		<del>289</del>		<del>286</del>		<del>283</del>	
281	18	295	17	291	16	289	15	286	14	283	13	278
	<del>295</del>		<del>295</del>		<del>291</del>		<del>288</del>		<del>285</del>		<del>283</del>	
281	19	294	20	291	21	288	22	285	23	283	24	278
	<del>294</del>		<del>294</del>		<del>291</del>		<del>288</del>		<del>285</del>		<del>282</del>	
281	30	294	29	290	28	288	27	285	26	282	25	278
	<del>293</del>		<del>293</del>		<del>290</del>		<del>287</del>		<del>285</del>		<del>282</del>	
280	31	293	32	290	33	287	34	284	35	282	36	278
	277		277		277		277		277		277	

The figures on the lines refer to the page.

249

Township N. 20 North, Range N. 5 West 2. Mer. Ind.

Township Lines.

Chas. Sm. South Boundary. Var. 6° 30' E.

Bearings at cor. of T. 19 & 20 N, R. 4 & 5 W.

a W. Oak 24 in. diameter S 28° W 365 lbs. dist. 8

a Hickory 9 " " " N 63° E 241 " "

West on the S. Boundary of Sec. 36

October 12, 1819

5.00 passed Prairie

15.00 enter "

24.00 passed "

25.00 enter "

40.00 lot of sec. part from which

a W. Oak 24 in. diameter S 89° W 558 lbs. dist.

(no other Bearing tree)

45.00 passed Prairie

80.00 lot part cor. of sec. 35 & 36 from which a Hickory

12 in. dia. is corner tree, from which

a Hickory 12 in. dia. bears S 69° W 8 lbs. dist.

Oak & Hickory land of very good quality,  
good farming land

---

West on the S. Boundary of Sec. 35

36.00 enter Prairie

40.00 lot of sec. part from which

a Jack Oak 30 in. diameter S 44° E 74 lbs. dist.

(no other Bearing tree)

50.00 passed Prairie

80.00 lot part cor. of sec. 34 & 35 from which

a Hickory 14 in. diameter S 10° W 76 lbs. dist. 8

a W. Oak 36 " " " N 35° W 43 " "

Land 2 or 3 rods, timber Oak & Hickory, middling  
farming land, Prairie rather wet

---

West on the S. Boundary of Sec. 34

40.00 lot of sec. part from which

a Hickory 12 in. diameter S 18° W 32 lbs. dist. 8

T. 20 N., R. 5 W. 2. Mer. Ind.<sup>e</sup>  
Ch. Sh.

a Hickory 9 in. dia leans N 72 E 41 lbs. dist.  
80.00 set post cor. of sec. 33 & 34 from which  
a Hickory 14 in. dia leans N 86 E 22 lbs. dist. 8  
a Sh 12 " " " S 88 W 21 " "  
Land rich & good for farming, timber Oak &  
Hickory, some Walnut & Ash

---

West on the S. Boundary of Sec. 33  
40.00 set off sec. post from which  
a Hickory 10 in. dia leans N 4 W 28 lbs. dist. 8  
a Sh 12 " " " S 18 E 33 " "

70.00 enter Prairie

79.00 passed "

80.00 set post cor. of sec. 32 & 33 from which  
a W. Oak 24 in. dia leans N 67 E 20 lbs. dist. 8  
a Sh 24 " " " S 52 W 66 " "  
Oak & Hickory land of a middling good quality,  
interspersed with small wet Prairies

---

West on the S. Boundary of Sec. 32

5.00 enter Prairie

12.00 passed "

40.00 set of sec. post from which  
an Elm 15 in. dia leans S 50 E 27 lbs. dist. 8  
a Hickory 9 " " " N 66 W 27 " "

75.00 enter Prairie

80.00 set post cor. of sec. 31 & 32 from which  
a W. Oak 20 in. dia leans N 11 W 176 lbs. dist.  
(no other Bearing tree)  
Land similar to that on last mile

---

West on the S. Boundary of Sec. 31

2.00 passed Prairie

27.00 enter "

32.00 passed "

40.00 set of sec. post from which

T. 20 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
Chp. 2<sup>d</sup>.

a W. Oak 18 in. diam. bears S 62 E 45 lbs. ditto  
a Dr 36 " " " S 84 W 25 " "  
73.89 Intersect Range line 720 lbs. N. of temp. Towns.  
corner, set post at intersection cor. of T. 19 & 20  
N., R. 5 & 6 W. from which  
a W. Oak 24 in. diam. bears S 19 E 40 lbs. ditto  
a Dr 18 " " " N 67 W 85 " "  
2<sup>d</sup> rate Oak & Hickory land

East Boundary, Var. 6<sup>th</sup> 20<sup>th</sup> E  
North on the E. Boundary of Sec. 36

October 19, 1819

20.00 passed Prairie

25.00 entered "

35.00 passed "

40.00 set of sec. post from which

a W. Oak 15 in. diam. bears S 36 E 34 lbs. ditto

a Dr 11 " " " S 87 W 16 " "

80.00 set post cor. of sec. 25 & 36 from which

a W. Oak 24 in. diam. bears S 32 E 29 lbs. ditto

a Dr 24 " " " N 22 W 49 " "

Oak land of a middling good quality, good  
timber & middling good farming land

North on the E. Boundary of Sec. 25

33.00 entered wet Prairie

38.00 passed " "

40.00 set of sec. post from which

a W. Oak 12 in. diam. bears S 44 E 6 lbs. ditto

a Dr 30 " " " N 14 E 36 " "

58.50 entered Prairie

67.00 passed "

79.00 entered "

80.00 set post cor. of sec. 24 & 25 from which

a W. Oak 27 in. diam. bears N 50 E 84 lbs. ditto

a Dr 27 " " " S 3 1/2 W 100 " "



T. 20 N., R. 5 W. 2. Mer. Ind. a  
E. H. E. S.

Land similar to that on last mile

North on the E. Boundary of Sec. 24

10.00 passed Prairie

27.00 enter "

40.00 passed " & set g. sec. post from which  
a W. Oak 27 in. diameter N 84 E 90 ft. dist. 8

———— " " " N 22 W 80 " "

60.00 enter Prairie

80.00 set post cor. of sec. 13 & 24 from which

a W. Oak 27 in. diameter N 28 W 268 ft. dist. 8

a B. Oak 9 " " " N 71 W 272 " "

Land similar, Prairie middling good farming  
land.

North on the E. Boundary of Sec. 13

25.00 passed Prairie

30.00 enter "

40.00 set g. sec. post from which

a W. Oak 18 in. diameter S 62 1/2 W 205 ft. dist. 8

a Sec 30 " " " N 50 W 233 " "

80.00 set post cor. of sec. 12 & 13 in a small Island of  
woods from which

a B. Oak 36 in. diameter S 1 W 134 ft. dist. 8

a Hickory 9 " " " North 46 " "

Good farming land

North on the E. Boundary of Sec. 12

40.00 set g. sec. post and made a Mound

80.00 set post cor. of sec. 11 & 12 & made a Mound  
Land same as last noted

North on the E. Boundary of Sec. 1

40.00 set g. sec. post and made a Mound

79.27 to post cor. of T. 20 & 21 N., R. 4 & 5 W. in Mound

Land same as last noted

T. 20 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. Sh.

North Boundary, Var. 6° 30' E.

West on the S. Boundary of Sec. 36, T. 21 N., R. 5 W

40.00 set of sec. post in Prairie & made Mound

80.00 set post cor. of sec. 35 & 36 & made Mound

Land 1<sup>st</sup> rate

---

West on the S. Boundary of Sec. 35, T. 21 N., R. 5 W

4.50 a Brook 3 lbs. wide came N

40.00 set of sec. post & made a Mound

80.00 set post cor. of sec. 34 & 35 & made a Mound

Land 1<sup>st</sup> rate, part wet

---

West on the S. Boundary of Sec. 34, T. 21 N., R. 5 W

40.00 set of sec. post & made a Mound

80.00 set post cor. of sec. 33 & 34 & made Mound

Land 1<sup>st</sup> rate

---

West on the S. Boundary of Sec. 33, T. 21 N., R. 5 W

40.00 set of sec. post in Prairie & made Mound

80.00 set post cor. of sec. 32 & 33 & made a Mound

Land 1<sup>st</sup> rate

---

West on the S. Boundary of Sec. 32, T. 21 N., R. 5 W

40.00 set of sec. post from which

a B. Oak 36 in. dia bears N 35° W 538 lbs. dist.

a Hickory 12 " " " N 15° W 578 " "

80.00 set post cor. of sec. 31 & 32 from which

a Hickory 27 in. dia bears N 3° W 527 lbs. dist.

a B. Oak 36 " " " N 22° E 513 " "

Land 1<sup>st</sup> rate, all Prairie

---

West on the S. Boundary of Sec. 31, T. 21 N., R. 5 W

40.00 set of sec. post in Prairie & made Mound

75.00 Intersect Range line 68 lbs. S. of temp. Towns.

Cor. set post at intersection cor. of T. 20 & 21 N.

R. 5 & 6 W. & made a Mound

---

T. 20 N., R. 5 W. 2. Mer. Ind. ?  
 Wm. Ch.

Land 1. <sup>st</sup> rate, all Prairie

West Boundary, Var. 6<sup>th</sup> 40. E  
 North on the E. Boundary of Sec. 36, T. 20 N., R. 6 W  
 October 18. 1819

1.00 enter Prairie  
 9.00 passed "  
 25.00 enter "  
 40.00 passed " - I set of sec. post from which  
 a W. Oak 18 in. dia. bears N 38° W 11 lbs. dist 8,  
 a Spr 18 " " " N 51° E 44 " "  
 45.00 enter Prairie  
 47.00 passed "  
 65.00 enter "  
 70.00 passed "  
 80.00 set post on c. of sec. 25 & 36 from which  
 a W. Oak 18 in. dia. bears S 34° E 32 lbs. dist 8,  
 a Spr 20 " " " N 36° W 34 " "  
 Oak & Hickory land of a middling quality

North on the E. Boundary of Sec. 25, T. 20 N., R. 6 W

40.00 set of sec. post from which  
 a W. Oak 12 in. dia. bears S 66° E 32 lbs. dist 8,  
 a Spr 20 " " " North 10 " "

55.00 enter Prairie  
 60.00 passed "  
 67.00 enter "  
 70.50 a Brook 3 lbs. wide course N W  
 72.00 passed Prairie  
 80.00 set post on c. of sec. 24 & 25  
 a B. Oak 10 in. dia. bears N 35° W 20 lbs. dist 8,  
 a Spr 9 " " " N 15° W 27 " "  
 Land same as last noted

North on the E. Boundary of Sec. 24, T. 20 N., R. 6 W  
 30.00 enter wet Prairie

T. 20 N., R. 5 W. 2. Mec. Ind.<sup>n</sup>

Chr. Shr.

40.00 set of sec. post from which  
 a W. Oak 24 in. dia. leans S 72 E 100 lbs. dist 8  
 a Do 24 " " " N 44 E 117 " "

70.00 papered Prairie

80.00 set post cor. of sec. 13 & 24 from which  
 a Hickory 15 in. dia. leans S 35 W 61 lbs. dist 8  
 a B. Oak 27 " " " N 19 E 51 " "  
 Land similar, Prairie part wet, part dry

North on the E. Boundary of Sec. 13, T. 20 N., R. 6 W  
 35.00 enter Prairie

40.00 set of sec. post from which  
 a W. Oak 30 in. dia. leans N 36 E 141 lbs. dist 8  
 a Hickory 12 " " " N 63 E 126 " "

80.00 set post cor. of sec. 12 & 13 from which  
 a W. Oak 18 in. dia. leans S 29 W 835 lbs. dist 8  
 a Hickory 12 " " " North 1187 " "  
 Timbered land same, Prairie mostly wet

North on the E. Boundary of Sec. 12, T. 20 N., R. 6 W  
 10.00 papered Prairie

15.00 enter "

40.00 set of sec. post from which  
 a Hickory 18 in. dia. leans S 13 E 305 lbs. dist.  
 (no other Bearing tree)

80.00 set post cor. of sec. 11 & 12 from which  
 a Hickory 7 in. dia. leans S 1 E 10.10 lbs. dist 8  
 a B. Oak 8 " " " S 18 E 5.28 " "  
 Prairie part wet & part dry 2<sup>d</sup> rate

North on the E. Boundary of Sec. 1, T. 20 N., R. 6 W  
 13.00 a Brook 5 lbs. wide corner W

40.00 set of sec. post in Prairie &amp; made a Mound

80.00 set temp. Township corner post.

First rate Prairie &amp; farming land

Surveyed in 1819 by William Harris, D. S.



T. 20 N., R. 5 W. 2<sup>d</sup> Mer. Ind. a

Chas. L. H. a

Subdivision: Van. 6<sup>th</sup> 26. E.

North between Sec. 35 &amp; 36, T. 20 N., R. 5 W.

2.46 a W. Oak 12 in. dia.

14.36 a Do 24 " "

40.00 Set gr. Sec. post from which

a B. Oak 20 in. dia. bears S 20 E 16 Mo. dist. &amp;

a Do 18 " " " N 30 W 78 " "

80.00 Set post cor. to Sec. 25. 26. 35. 36 from which

a W. Oak 15 in. dia. bears S 27 W 10 Mo. dist. &amp;

a Do — " " " N 46 E 33 " "

Land level dry timber Oak some prairie 3<sup>rd</sup> rate

East on Random Between Sec. 25 &amp; 36

40.00 Set temp. gr. Sec. post

79.50 Intersected E. Boundary 42 Mo. S. of post

Land 3<sup>rd</sup> rate some ponds Oak timber

West Corrected Between Sec. 25 &amp; 36

39.75 Set gr. Sec. post at aver. dist. from which

a B. Oak 30 in. dia. bears S 50 E 50 Mo. dist. &amp;

a Do 20 " " " N 9 W 61 " "

79.50 Sec. Cor.

North Between Sec. 25 &amp; 26

33.00 a W. Oak 24 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 18 in. dia. bears S 50 W 42 Mo. dist. &amp;

a Do 15 " " " N 87 E 85 " "

68.00 a Do 24 " "

80.00 Set post cor. to Sec. 23. 24. 25. 26 from which

a W. Oak 30 in. dia. bears N 52 W 195 Mo. dist. &amp;

a Do 28 " " " S 37 — 136 " "

Land some wet 3<sup>rd</sup> rate timber Oak

East on Random Between Sec. 24 &amp; 25

40.00 Set temp. gr. Sec. post



T. 20 N., R. 5 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>,  
Chs. Gr.

79.63 Intersect E. Boundary 20th. N. of post  
Land 3<sup>d</sup> rate timber Oak some pines

---

West Corrected Between Secs. 24 & 25

39.81 $\frac{1}{2}$  Set gr. Sec. post at av. dist. from which  
a B. Oak 25 in. dia. beam S 30 E 15 lbs. dist. &  
a Hickory 6 " " " N 82 E 105 " "

40.00 a B. Oak 24 " "

79.63 Sec. Cor. March 5<sup>th</sup> 1821

---

North Between Secs. 23 & 24

12.00 a W. Oak 18 in. dia.

23.25 Enter prairie

40.00 Set gr. Sec. post in prairie raised a mound  
No Bearing trees.

46.64 Timber Land a W. Oak 24 in. dia.

55.00 Enter prairie

80.00 Set post cor. to Secs. 13, 14, 23, 24

No trees raised a mound

Land Oak prairie dry 3<sup>d</sup> rate

---

East on Random Between Secs. 13 & 24

30.00 Timber Land

40.00 Set temp. gr. Sec. post

76.65 Intersect E. Boundary at post

Land dry prairie. Timber Oak in a grove

---

West Corrected Between Secs. 13 & 24

3.39 a Hickory 4 in. dia.

38.02 $\frac{1}{2}$  Set gr. Sec. post at av. dist. from which

a Hickory 18 in. dia. beam N 12 W 16 lbs. dist. &

a B. Oak 24 " " " S 43 W 253 " "

76.05 Sec. Cor.

---

North Between Secs. 13 & 14

10.00 Timber Land

T. 20 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>4</sup>

Chs. Lhs.

20.00 Enter prairie

40.00 Set gr. Sec. post in prairie etc trees

51.00 Hayle patch

53.12 a Hickory 12 in. dia.

80.00 Set post cor. to Sec. 11. 12. 13. 14 from which  
an Elm 36 in. dia. bears N 58 E 50 lbs. dist. &

a B. Oak 30 " " " S 35 W 100 " "

Timber Oak Hickory Elm prairie dry 2<sup>d</sup> rate

East on Random Between Sec. 12 &amp; 13

1.00 Enter prairie

40.00 Set temp. gr. Sec. post in prairie

76.61 Intersect E. Boundary at post

Timber Oak Cherry Oak Hickory prairie dry  
2<sup>d</sup> rate

West Corrected Between Sec. 12 &amp; 13

0.46 a Hickory 8 in. dia.

38.30 $\frac{1}{2}$  Set gr. Sec. post at aver. dist. in prairie

76.61 Sec. Cor.

North Between Sec. 11 &amp; 12

24.69 a B. Oak 8 in. dia enter prairie

40.00 Set gr. Sec. post in prairie from which

a B. Oak 14 in. dia. bears S 26 E 156 lbs. dist. &amp;

(No other trees)

80.00 Set post cor. to Sec. 1. 2. 11. 12 in prairie raised  
moundLittle timber prairie dry 3<sup>d</sup> rate

East on Random Between Sec. 11 &amp; 12

40.00 Set temp. gr. Sec. post in prairie

75.50 Intersect E. Boundary 59 lbs. N. of post

No timber dry prairie 2<sup>d</sup> rate

West Corrected Between Sec. 11 &amp; 12

## T. 20 N., R. 5 W. 2. Mer. Ind.?

Obs. Lks.

37.75 Set gr. Sec. post at aver. dist. in mound in prairie  
 75.50 Sec. Cor.

---

## North Between Secs. 18 &amp; 2

40.00 Set gr. Sec. post in prairie raised mound  
 77.64 Intersected N. Boundary 300 lbs. E. of post -  
<sup>left post in mound cor. of Sec. 18 & 2</sup>  
 Prairie dry 2 rate March 6<sup>th</sup> 1821

---

## North Between Secs. 34 &amp; 35

20.64 a B. Oak 24 in. dia.  
 40.00 Set gr. Sec. post from which  
     a W. Oak 24 in. dia. bears N 11 W 64 lbs. dist. &  
     a Do 20 " " " S 6 E 32 " "  
 40.50 Enter prairie  
 65.75 Timber Land a W. Oak 24 in. dia.  
 80.00 Set post cor. to Secs. 26, 27, 34, 35 from which  
     a B. Oak 30 in. dia. bears N 55 W 153 lbs. dist. &  
     a Do - " " " N 26 W 191 " "  
 Timber Oak Hickory some small prairie 3 rate

---

## East on Random Between Secs. 26 &amp; 35

40.00 Set temp. gr. Sec. post  
 79.19 Intersect N & S line at post  
 Land 3 rate

---

## West Corrected Between Secs. 26 &amp; 35

16.47 a W. Oak 18 in. dia.  
 39.73½ Set gr. Sec. post at aver. dist. from which  
     a W. Oak 9 in. dia. bears South 4 lbs. dist. &  
     a Do 15 " " " North 23 " "  
 59.19 a Do 18 " "  
 79.19 Sec. Cor.

---

## North Between Secs. 26 &amp; 27

17.25 an Ash 24 in. dia.  
 25.00 Enter prairie

T. 20 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 Set gr. Sec. post in prairie raised mound  
 42.75 Timber land  
 63.25 Enter prairie a Hickory 20 in. dia.  
 80.00 Set post cor. to Sec. 22.23.26.27 in prairie  
 Raised a mound  
 Timber Oak Hickory & Ashland rolling  
 Prairie dry 2<sup>d</sup> rate

---

East on Random Between Sec. 23 & 26  
 40.00 Set temp. gr. Sec. post in prairie  
 44.56 Timber land a W. Oak 20 in. dia.  
 59.63 a W. Oak 20 in. dia.  
 79.76 Intersect E & S line 4 M. S. of post  
 Land rolling prairie dry timber Oak 3<sup>d</sup> rate

---

West Corrected Between Sec. 23 & 26  
 39.88 Set gr. Sec. post at aver. dist. in mound  
 79.76 Sec. Cor.

---

North Between Sec. 22 & 23  
 5.75 a B. Oak 8 in. dia.  
 40.00 Set gr. Sec. post mound in prairie no trees  
 80.00 Set post cor. to Sec. 14.15.22.23 in a clump of  
 Hay  
 Oak Hickory some Cherry Land rolling  
 Prairie dry 3<sup>d</sup> rate

---

East on Random Between Sec. 14 & 23  
 40.00 Set temp. gr. Sec. post in prairie  
 47.00 Timber land  
 51.05 a W. Oak 24 in. dia. Enter prairie  
 80.00 Intersect E & S line 6 M. S. of post  
 Timber Oak prairie dry rolling 3<sup>d</sup> rate

---

West Corrected Between Sec. 14 & 23  
 40.00 Set gr. Sec. post raised mound

Camp

T. 20 N., R. 5 W. 2. Mer. Ind. 261

Mo. 24

80.00 Sec. Cor.

---

North Between Secs. 14 & 15

40.00 Set gr. Sec. post raised mound in prairie

60.00 Timber Land

76.00 a B. Oak 24 in. dia

80.00 Set post cor. to Secs. 10, 11, 14, 15 from which  
a W. Oak 24 in. dia. bears N 12 E 53 lbs. dist. &

" Do — " " " N 20 W 76 " "

Timber Oak Hickory prairie dry 3<sup>rd</sup> rate

---

East on Random Between Secs. 11 & 14

40.00 Set temp. gr. Sec. post

41.50 Enter prairie

53.00 Timber Land

79.70 Intersect E. Boundary 66 lbs. at post

Timber W. Oak Hickory prairie small 3<sup>rd</sup> rate

---

West Corrected Between Secs. 11 & 14

5.42 a Hickory 18 in. dia.

39.85 Set gr. Sec. post at aver. dist. (Bearings omitted)

79.70 Sec. Cor.

---

North Between Secs. 10 & 11

35.00 a W. Oak 34 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 4 in. dia. bears North 68 lbs. dist. &  
(no other trees)

41.50 Enter prairie

65.00 Timber Land

80.00 Set post cor. to Secs. 2, 3, 10, 11 from which

a Gassafras 6 in. dia. bears N 62 W 27 lbs. dist. &

a Poplar — " " " S 75 E 32 " "

Timber Gassafras poplar Oak wood land =  
2<sup>nd</sup> rate wet prairie 3<sup>rd</sup> rate

4.15  
Ind. 2

Mo. 15



## T. 20 N., R. 5 W. 2. Mer. Ind.

Ans. Shs

East on Random Between Sec. 28 &amp; 31

8.00 Enter prairie

40.00 Set temp. gr. Sec. post in prairie

79.86 Intersect N &amp; S. line at post

Land prairie rolling 3<sup>d</sup> rate

Corrected line

mutated by survey.

North Between Sec. 28 &amp; 3

4.85 an Ash 18 in. dia.

8.00 Enter prairie

40.00 Set gr. Sec. post in prairie raise mound

74.80 Intersect North Boundary 400 yds. E. of post

In prairie raise mound

Land dry prairie rolling 3<sup>d</sup> rate landMarch 7<sup>th</sup> 1821

North Between Sec. 33 &amp; 34

0.56 a Walnut 12 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 12 in. dia. bears N 75 E 83 yds. dist. &amp;

(No other trees)

80.00 Set post cor. to Sec. 27 28 33 34 from which

a W. Oak 15 in. dia. bears S 25 W 23 yds. dist. &amp;

" Do 24 " " " N 31 E 48 " "

Timber Oak Walnut Hickory Ash, Land 2<sup>d</sup> rate rolling,

East on Random Between Sec. 27 &amp; 34

40.00 Set temp. gr. Sec. post

79.94 Intersect N &amp; S. line 80 yds. S. of post

Land level 2<sup>d</sup> rate timber Oak Hickory

West Corrected Between Sec. 27 &amp; 34

19.08 a W. Oak 18 in. dia.

39.97 Set gr. Sec. post at aver. dist. from which

a Hickory 12 in. dia. bears N 45 W 18 yds. dist. &amp;

a W. Oak 30 " " " S 58 E 19 " "

T. 20 N., R. 5 W., T. 2 Mer. Ind. ?  
 Qu. 4th

79.94 Gee. Cor.

North Between Secs. 27 & 28

30.60 a Hickory 6 in. dia.

40.00 Set gr. Sec. post from which

a Bur Oak 36 in. dia. bears N 30 E 50 lbs. dist. &

a B. Oak 30 " " " Y 32 W 24 " "

48.15 a Do 36 " "

61.71 a W. Oak 10 " "

80.00 Set post ev. to sec. 21. 22. 27. 28 from which

a B. Oak 8 in. dia. bears N 81 E 90 lbs. dist. &

a W. Oak 30 " " " Y 46 W 208 " "

Land prairie timber in patches Oak Hick-  
 ory 2 rate

East on Random Between Secs. 22 & 27

40.00 Set temp. gr. Sec. post in Hugel patch

49.00 Enter prairie

79.50 Intersect N & S line 26 lbs. S. of post

First 1/2 mile timber last dry prairie 3  
 rate land

West Corrected Between Secs. 22 & 27

39.75 Set gr. Sec. post at aver. dist. in prairie

a B. Oak 6 in. dia. bears N 56 E 44 lbs. dist.

58.07 a Do 5 " " "

79.50 Gee. Cor.

North Between Secs. 21 & 22

9.88 a Hickory 8 in. dia.

38.90 a Walnut 30 " "

40.00 Set gr. Sec. post in prairie from which

a B. Oak 24 in. dia. bears N 61 E 207 lbs. dist. &

a Do 3 " " " Y 72 E 95 " "

49.13 a W. Oak 24 " "

66.75 a Do 20 " "

T. 20 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Obs. In

71.00 Enter prairie

80.00 Set post cor. to Sec. 15. 16. 21. 22 from which  
a W. Oak 24 in. dia. bears N 66 E 75 lbs. dist. &  
a B. Oak 6 " " " N 28 W 104 " "  
Timber and prairie in patches 2 & 3 rate

---

East on Random Between Sec. 15 & 22

40.00 Set temp. gr. Sec. post in prairie

79.25 Intersect at S. line 25 lbs. S. of post  
Land prairie mostly dry timber in groves  
Hickory Hoyle B. Guck 3 rate

---

West Corrected Between Sec. 15 & 22

11.58 a W. Oak 16 in. dia.

59.62 Set gr. Sec. post at aver. dist. in prairie raised mound

79.25 Sec. Cor.

---

North Between Sec. 15 & 16

40.00 Set gr. Sec. post in prairie raised mound  
(No trees)

80.00 Set post cor. to Sec. 9. 10. 15. 16 in prairie raised  
a mound  
Land prairie dry some ponds no timber  
2 rate

---

East on Random Between Sec. 10 & 15

2.00 Hoyle patch

10.00 Enter prairie

40.00 Set temp. gr. Sec. post in prairie

61.00 Timber land

79.53 Intersect at S. line 26 lbs. S. of post  
Land level dry prairie 2 rate

---

West Corrected Between Sec. 10 & 15

1.15 a Hickory 5 in. dia.

39.76½ Set gr. Sec. post at aver. dist. raise mound

T. 20 N., R. 5 W. 2, Mer. Ind.<sup>a</sup>  
 4<sup>th</sup> Mo. 1820.  
 79.53 Sec. Cor.

North Between Secs 9 & 10

40.00 Set gr. Sec. post in prairie raised mound

80.00 Set post cor. to Secs 3, 4, 9, 10 in prairie mound  
 Land dry prairie 2 rate except ponds

East on Random Between Secs 3 & 10

40.00 Set temp. gr. Sec. post in prairie

52.00 Timber Land

78.37 Intersect N & S line at post

Land 1<sup>st</sup> rate prairie last 1/2 mile timber pop-  
 lars Walnut Hackberry 1<sup>st</sup> rate

West Corrected Between Secs 3 & 10

39.18 1/2 Set gr. Sec. post at aver. dist. raised mound

78.37 Sec. Cor.

North Between Secs 4 & 5

40.00 Set gr. Sec. post in prairie raised mound

73.30 Intersect N. Boundary 350<sup>th</sup> E. of post

Land dry prairie & rolling 2 rate

March 8<sup>th</sup> 1821

North Between Secs 32 & 33

9.20 a Hickory 12 in. dia.

37.50 a B. Oak 24 " "

40.00 Set gr. Sec. post from which

a W. Oak 12 in. dia. bears N 55 W 36<sup>th</sup> dist. &

" Do 15 " " " S 46 E 31 " "

74.50 a Hickory 24 " "

80.00 Set post cor. to Secs 28, 29, 32, 33 from which

a Gassafras 4 in. dia. bears N 10 E 4<sup>th</sup> dist. &

" Do 4 " " " S 18 W 8 " "

Land rolling timber Walnut Oak 2 rate  
 Some swamps



## T. 20 N., R. 5 W. 2. Mer. Ind.?

East on Random Between Sec. 28 &amp; 33

40.00 Set temp. gr. Sec. post

80.50 Intersect N &amp; S line 42 lbs. S. of post

Land 3<sup>rd</sup> rate timber Oak Hickory some brush  
by land 3<sup>rd</sup> rate

West Corrected Between Sec. 28 &amp; 33

9.50 a Hickory 12 in. dia.

40.25 Set gr. Sec. post at aver. dist. from which

a W. Oak 4 in. dia. bears S. 25 W 16 lbs. dist. &amp;

a Hickory 12 " " " N 2 W 65 " "

45.05 a W. Oak 20 " "

80.50 Sec. cor.

North Between Sec. 28 &amp; 29

5.00 a W. Oak 24 in. dia.

32.64 a Do 24 " "

40.00 Set gr. Sec. post from which

a Maple 20 in. dia. bears S 22 E 20 lbs. dist. &amp;

a Maple 18 " " " N 9 W 50 " "

60.50 a R. Oak 24 " "

80.00 Set post cor. to Sec. 20. 21. 28. 29 from which

a Walnut 12 in. dia. bears S 42 W 24 lbs. dist. &amp;

a B. Oak - " " " S 45 E 45 " "

Land 2<sup>nd</sup> rate timber Ash Maple Walnut W. Oak

East on Random Between Sec. 21 &amp; 28

40.00 Set temp. gr. Sec. post

80.92 Intersect N &amp; S line at post

Land rolling 2<sup>nd</sup> rate Timber Oak Hickory Ash

West Corrected Between Sec. 21 &amp; 28

40.46 Set gr. Sec. post at aver. dist. from which

a W. Oak 14 in. dia. bears N 27 W 29 lbs. dist. &amp;

a Do 8 " " " S 20 E 11 " "

49.42 a R. Oak 24 " "



T. 20 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
 Q. 1. 1. 1.  
 80.92 Sec. Cor.

North Between Secs. 20 & 21

23.61 a W. Oak 28 in. dia.

40.00 Set gr. Sec. post from which  
 a Hickory 12 in. dia. bears S 41 W 5 lbs. dist. &  
 a B. Oak 24 " " " N 28 E 25 " "

61.90 a Do 24 " "

80.00 Set post cor. to Secs. 16, 17, 20, 21 from which  
 a B. Oak — in. dia. bears N 70 E 19 lbs. dist. &  
 a Hickory 12 " " " S 45 W 50 " "  
 Land Rolling some set 2<sup>d</sup> rate timber Walnut  
 Elm

East on Random Between Secs. 16 & 21

40.00 Set temp. gr. Sec. post

81.50 Intersect N & S line 50 lbs. S. of post  
 Land prairie & Woods in patches 3<sup>d</sup> rate timber  
 Oak Hickory

West Connected Between Secs. 16 & 21

11.25 a Hickory 10 in. dia.

40.75 Set gr. Sec. post at aver. dist. from which  
 a W. Oak 36 in. dia. bears S E 87 lbs. dist. &  
 a B. Oak 24 " " " N 68 E 70 " "

68.00 a Hickory 8 " "

81.50 Sec. Cor.

North Between Secs. 16 & 17

17.25 a B. Oak 30 in. dia.

22.50 a W. Oak 20 " "

23.00 Enter prairie

40.00 Set gr. Sec. post in prairie raised mound

78.15 a B. Oak 15 in. dia.

80.00 Set post cor. to Secs. 8, 9, 16, 17 from which  
 a W. Oak 12 in. dia. N 63 E 11 lbs. dist. &

T. 20 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Obs. Lks.

a W. Oak — in. dia. bears S 40 E 11 lks. dist. &  
Land level 2<sup>nd</sup> rate dry prairie timber Walnut  
Ash & Oak

East on Random Between Sec. 9 & 16

40.00 Set temp. gr. Sec. post

52.25 Enter prairie

82.50 Intersect N & S line 30 lks S. of post

Land level including 2 wet prairies timber  
Ash Elm Hackberry timber in small patches  
3<sup>rd</sup> rate land

West Corrected Between Sec. 9 & 16

41.25 Set gr. Sec. post at wester. dist. from which

a Coffeenut — in. dia. bears S 22 E 12 lks. dist. &

a Hickory 12 " " " N 32 W 22 " "

82.50 Sec. Cor.

North Between Sec. 8 & 9

8.00 a W. Oak 18 in. dia.

40.00 Set gr. Sec. post from which

a B. Oak 36 in. dia. bears N 86 W 14 lks. dist. &

a Hickory 6 " " " N 87 E 50 " "

47.00 Enter prairie

80.00 Set post cor. to Sec. 4, 5, 8, 9 in prairie raised  
mound

Land dry prairie timber Oak 3<sup>rd</sup> rate

East on Random Between Sec. 4 & 9

40.00 Set temp. gr. Sec. post in prairie

82.59 Intersect N & S line 5 lks S. of post

Land dry 2<sup>nd</sup> rate prairie

West Corrected Between Sec. 4 & 9

41.29 Set gr. Sec. post at wester. dist. raised mound

82.59 Sec. Cor.

T. 20 N., R. 5 W., T. 2 Mer. Ind.<sup>a</sup>

Chs. Lks.

North Between Sec. 48 &amp; 5

40.00 Set gr. Sec. post in prairie raised a mound

73.16 Intersect N. Boundary 12 lks. W. of post

Set post in mound

Land partly met 3<sup>rd</sup> rate March 9<sup>th</sup> 1821

North Between Sec. 31 &amp; 32

6.50 a Bur Oak —

20.75 a W. Oak 28

40.00 Set gr. Sec. post from which

a B. Oak 36 in. dia. bears S 80 E 22 lks. dist. &amp;

a Do 40 " " " S 84 W 100 " "

51.37 a W. Oak 24 " "

72.80 a Hickory 8 " "

75.00 a Swamp 250 lks. wide

80.00 Set post cor. to Sec. 29. 30. 31. 32 from which

a W. Oak 12 in. dia. bears S 32 W 20 lks. dist. &amp;

a Do 36 " " " N 50 E 59 " "

Land level some Swamp 2<sup>nd</sup> rate timber Ash  
Cherry Oak

East on Random Between Sec. 29 &amp; 32

40.00 Set temp. gr. Sec. post

79.00 Intersect N. &amp; S. line 50 lks. E. of post

Land rolling 2<sup>nd</sup> rate timber W. Oak Hickory

West Connected Between Sec. 29 &amp; 32

2.61 a Sassafras 8 in. dia.

39.50 Set gr. Sec. post at aver. dist. from which

a W. Oak 40 in. dia. bears S 38 W 18 lks. dist. &amp;

a B. Oak 24 " " " N 13 E 50 " "

43.58 a Do 36 " "

79.00 Sec. Cor.

North Between Sec. 29 &amp; 30

4.25 a W. Oak 30 in. dia.

T. 20 N., R. 54 W. 2. Mer. Ind.<sup>a</sup>  
 Mrs. Shs.

- 32.12 a B. Oak 30 in. dia.  
 40.00 Set gr. Sec. post from which  
 a W. Oak 18 in. dia. bears S 87 E 20 Shs. dist. &  
 a Do 12 " " " N 16 W 25 " "  
 40.22 a B. Oak 20 " "  
 49.00 a Wet prairie 10.50 Ch. wide  
 72.85 a W. Oak —  
 80.00 Set post cor. to Sec. 19. 20. 29. 30 from which  
 a B. Oak 24 in. dia. bears S 42 - 45 W. dist. &  
 a W. Oak 30 " " " N 15 E 103 " "  
 Land level timber Oak Hickory some swamp 3<sup>rd</sup> rate
- 

East on Random Between Sec. 20 & 29

- 40.00 Set temp. gr. Sec. post  
 54.50 a Swamp 250 Shs. wide  
 79.24 Intersect 18 S. line 20 Shs. N. of post  
 Land level 3<sup>rd</sup> rate Timber Oak
- 

West Corrected Between Sec. 20 & 29

- 15.59 an Elm 12 in. dia.  
 39.62 Set gr. Sec. post at aver. dist. from which  
 a Walnut 14 in. dia. bears S 25 W. 8 Shs. dist. &  
 an Ash 10 " " " N 32 W 21 " "  
 41.03 a B. Oak 24 " "  
 79.24 Sec. Cor.
- 

North Between Sec. 19. 20

- 5.25 a W. Oak 20 in. dia.  
 25.34 a B. Oak - " "  
 40.00 Set gr. Sec. post from which  
 a Hickory 15 in. dia. bears S 54 E 97 Shs. dist. &  
 a W. Oak 18 " " " S 72 W 100 " "  
 57.65 a Do 18 " "  
 80.00 Set post cor. to Sec. 17. 18. 19. 20 from which  
 a Hickory 15 in. dia. bears S 46 E 28 Shs. dist. &  
 a W. Oak 24 " " " N 11 W 33 " "

T. 20 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

271

W. L. S.

Land rolling timber 3<sup>d</sup> rate

---

East on Random Between Sec. 17 & 20

40.00 Set temp. gr. Sec. post

79.30 Intersect of S. line at post

Land level 3<sup>d</sup> rate timber Oak

---

West Corrected Between Sec. 17 & 20

1.21 a B. Oak 24 in. dia.

38.96 a Hickory 15 " "

39.65 Set gr. Sec. post at aver. dist. from which  
a Hickory 18 in. dia. bears S 28 E 36 lks. dist. &

a Do 18 " " " N 28 W 15 " "

43.22 a Do 18 " "

79.30 Sec. Cor.

---

North Between Sec. 17 & 18

6.25 a B. Oak 24 in. dia.

17.75 a W. Oak 16 " "

40.00 Set gr. Sec. post from which

a B. Oak - in. dia. bears S 44 W 36 lks. dist. &

a W. Oak - " " " N 44 E 2 " "

45.00 Enter prairie

60.00 Timber land

80.00 Set post cor. to Sec. 7. 8. 17. 18 from which

a W. Oak - in. dia. bears S 22 E 25 lks. dist. &

a Do 18 " " " S 77 W 83 " "

Land 2<sup>d</sup> rate timber Oak

---

East on Random Between Sec. 8 & 17

40.00 Set temp. gr. Sec. post in prairie

77.00 Timber land

78.86 Intersect of S. line 76 lks. S. of post

Land dry prairie 3<sup>d</sup> rate timber Oak & 3<sup>d</sup>  
rate land

---



T. 20 N., R. 5 W. 2.<sup>d</sup> Mer. Ind.<sup>d</sup>

Qu. 9th.

West Corrected Between Sec. 8 &amp; 17

1.37 a W. Oak 24 in. dia.

39.43 Set gr. Sec. post at aver. dist. in Mound

78.86 Sec. Cor

North Between Sec. 7 &amp; 8

40.00 Set gr. Sec. post in prairie raised Mound

80.00 Set post cor. to Sec. 5, 6, 7, 8 raised Mound

Land part by wet prairie 3<sup>d</sup> rate timber Oak

East on Random Between Sec. 5 &amp; 8

40.00 Set temp. gr. Sec. post in prairie

79.50 Intersect N.E. line 29 lbs. E. of post

Land dry 3<sup>d</sup> rate level prairie

West Corrected Between Sec. 5 &amp; 8

39.75 Set gr. Sec. post at aver. dist. in prairie raised a Mound

79.75 Sec. Cor.

North Between Sec. 5 &amp; 6

40.00 Set gr. Sec. post in prairie raised Mound

75.75 Intersect N. Boundary 39 lbs. E. of post

Set post and mound

Land prairie flat 3<sup>d</sup> rate wet March 10<sup>th</sup> 1891

West Between Sec. 6 &amp; 7

15.00 Plum trees

21.50 Prairie

32.50 Timber land

40.00 Set gr. Sec. post from which

a W. Oak 24 in. dia. less a 37 W 8 lbs. dia. &amp;

(No other trees)

42.87 a W. Oak 12 in. dia

47.00 Enter prairie

79.50 Intersect W. Boundary 100 lbs. N. of post

T. 20 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Ans. 9th.

Set post and mound  
Land level 3<sup>rd</sup> rate timber Oak

West Between Secs. 18 &amp; 18

2.50 a W. Oak 15 in. dia.

31.50 Enter prairie

40.00 Set gr. Sec. post in prairie raised mound

74.00 Intersect W. Boundary 90 lbs. N. of post  
Land dry prairie and level 3<sup>rd</sup> rate

West Between Secs. 18 &amp; 19

20.25 a W. Oak 20 in. dia.

32.12 a B. Oak 24 " "

40.00 Set gr. Sec. post from which

a Hickory 8 in. dia. bears S 18 W 34 lbs. dist. &amp;

a W. Oak 18 " " " N 56 W 12 " "

49.75 a Do 24 " "

73.75 Intersect W. Boundary 110 lbs. N. of post

Set post from which

a B. Oak 20 in. dia. bears S 11 - 65 lbs. dist. &amp;

a Do 36 " " " S 47 W 92 " "

Land rolling 3<sup>rd</sup> rate timber Oak Hickory

West Between Secs. 19 &amp; 30

24.80 a W. Oak 20 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 15 in. dia. bears S 35 W 24 lbs. dist. &amp;

a Do 24 " " " N 13 W 43 " "

65.00 a Do 12 " "

73.50 Intersect W. Boundary 45 lbs. N. of post

Set post

a B. Oak 6 in. dia. bears S 30 W 16 lbs. dist. &amp;

Land rolling 3<sup>rd</sup> rate timber Oak Hickory

West Between Secs. 30 &amp; 31

0.10 Swamp 4.50 lbs. wide

## T. 20 N., R. 5 W. 2. Mer. Ind. a

Qns. Qns.

9.25 an R. Oak 12 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak - in. dia. bear 566 W 8 Mo. dist. a

a Do 15 " " " N 58 E 5 " "

46.75 a Do 18 " "

74.07 Intersect W. Boundary at post -

Timber Walnut Hickory Oak Landrolling

Swamp 2 rate March 11<sup>th</sup> 1821

Surveyed by B. J. Blythe

Dep. Surveyor.

I certify that the foregoing transcript of field notes of the survey of Township N. 20 North, in Range N. 5 West of the 2. Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office

Cincinnati, Nov. 11, 1842

William Johnston  
Sur. Genl.